

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

## 1 Identification

- **Product identifier**
- **Trade Name:** DOLPHON®
- **Article number:** CR-1035 KIT
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Von Roll USA, Inc.  
200 Von Roll Drive  
SCHENECTADY, NY 12306  
USA
- **Information department:** Environmental Health and Safety Department
- **Emergency telephone number:**  
During normal opening hours (day-time): +1 (518) 344-7100  
Mahoney 24 hours Emergency Message Service to contact EHS: +1 (518) 793-7788  
For Hazardous Materials [or Dangerous Goods] Incident  
Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC :+1 703-741-5970 / 1-800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Aquatic Acute 2 H401 Toxic to aquatic life.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05



GHS07



GHS08



GHS09

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 1)

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ )

3,6,9-triazaundecamethylenediamine

dibutyl phthalate

3,6-diazaoctanethylenediamin

3,6,9,12-tetra-azatetradecamethylenediamine

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = \*3

Fire = 1

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	>25– $\leq$ 50%
1332-58-7	Kaolin	>25– $\leq$ 50%
84-74-2	dibutyl phthalate	>10–<25%
112-57-2	3,6,9-triazaundecamethylenediamine	$\geq$ 5– $\leq$ 10%
25085-99-8	oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer	$\geq$ 0.1–<1%
112-24-3	3,6-diazaoctanethylenediamin	$\geq$ 0.1–<1%
4067-16-7	3,6,9,12-tetra-azatetradecamethylenediamine	$\geq$ 0.25–<1%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.  
· **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

**Trade Name: DOLPHON®**

(Contd. of page 3)

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	90 mg/m <sup>3</sup>
84-74-2	dibutyl phthalate	15 mg/m <sup>3</sup>
112-57-2	3,6,9-triazaundecamethylenediamine	15 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	3 ppm
67762-90-7	Hydrophobic Silica	120 mg/m <sup>3</sup>
556-67-2	octamethylcyclotetrasiloxane	30 ppm

· **PAC-2:**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	990 mg/m <sup>3</sup>
84-74-2	dibutyl phthalate	1,600 mg/m <sup>3</sup>
112-57-2	3,6,9-triazaundecamethylenediamine	130 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	14 ppm
67762-90-7	Hydrophobic Silica	1,300 mg/m <sup>3</sup>
556-67-2	octamethylcyclotetrasiloxane	68 ppm

· **PAC-3:**

25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq 700$ )	5,900 mg/m <sup>3</sup>
84-74-2	dibutyl phthalate	9300* mg/m <sup>3</sup>
112-57-2	3,6,9-triazaundecamethylenediamine	790 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	83 ppm
67762-90-7	Hydrophobic Silica	7,900 mg/m <sup>3</sup>
556-67-2	octamethylcyclotetrasiloxane	130 ppm

## 7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.· **Control parameters**· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 1332-58-7 Kaolin

PEL Long-term value: 15 \* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

REL Long-term value: 10 \* 5\*\* mg/m<sup>3</sup>  
\*total dust \*\*respirable fraction

TLV Long-term value: 2 \* mg/m<sup>3</sup>  
E; as respirable fraction, A4

### 84-74-2 dibutyl phthalate

PEL Long-term value: 5 mg/m<sup>3</sup>

REL Long-term value: 5 mg/m<sup>3</sup>

TLV Long-term value: 5 mg/m<sup>3</sup>

### 112-57-2 3,6,9-triazaundecamethylenediamine

WEEL Long-term value: 5 mg/m<sup>3</sup>  
Skin; DSEN

### 112-24-3 3,6-diazaoctanethylenediamin

WEEL Long-term value: 6 mg/m<sup>3</sup>, 1 ppm  
Skin

· **Additional information:** The lists that were valid during the creation were used as basis.· **Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 5)

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Off-White
<b>Odor:</b>	Mild to odorless
<b>Odor threshold:</b>	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	>260 °C (>500 °F)

- **Flash point:** >93 °C (>199.4 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Ignition temperature:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

<b>Lower:</b>	<0.1 Vol %
<b>Upper:</b>	2 Vol %

- **Vapor pressure at 130 °C (266 °F):** 0.5 hPa (0.4 mm Hg)

- **Density:** Not determined.

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 6)

- |                            |  |
|----------------------------|--|
| <b>· Solvent content:</b>  |  |
| <b>VOC content:</b>        | 0.00 %<br>0.0 g/l / 0.00 lb/gal            |
| <b>· Other information</b> | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### **ATE (Acute Toxicity Estimate)**

Oral	LD50	8,495 mg/kg
Dermal	LD50	2,968 mg/kg

#### **25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)**

Oral	LD50	11,400 mg/kg (rat) 11,400 mg/kg (rabbit)
Dermal	LD50	2,000 mg/kg (rat)

#### **84-74-2 dibutyl phthalate**

Oral	LD50	8,000 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

#### **112-57-2 3,6,9-triazaundecamethylenediamine**

Dermal	LD50	660 mg/kg (rabbit)
--------	------	--------------------

#### **25085-99-8 oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer**

Oral	LD50	15,000 mg/kg (rat) 23,000 mg/kg (rabbit)
------	------	---

#### **112-24-3 3,6-diazaoctanethylenediamin**

Oral	LD50	2,500 mg/kg (rat)
Dermal	LD50	805 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 8)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

**Trade Name: DOLPHON®**

(Contd. of page 7)

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 8)

## 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">UN2320</p>
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT, IATA</b></li> <li>· <b>IMDG</b></li> </ul>	<p style="margin: 0;">Tetraethylenepentamine TETRAETHYLENEPENTAMINE, MARINE POLLUTANT</p>
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <p style="margin: 0;">8 Corrosive substances</p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p style="margin: 0;">8</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div> <p style="margin: 0;">8 Corrosive substances</p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p style="margin: 0;">8</p>
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">  </div> <p style="margin: 0;">8 Corrosive substances</p>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p style="margin: 0;">8</p>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<p style="margin: 0;">III</p>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>	<p style="margin: 0;">Product contains environmentally hazardous substances: dibutyl phthalate Yes (DOT) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Segregation groups</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Segregation Code</b></li> </ul>	<p style="margin: 0;">Warning: Corrosive substances 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p style="margin: 0;">Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Quantity limitations</b></li> </ul>	<p style="margin: 0;">On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L</p>

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 9)

· <b>Remarks:</b>	Special marking with the symbol (fish and tree).
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 2320 TETRAETHYLENEPENTAMINE, 8, III, ENVIRONMENTALLY HAZARDOUS

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

84-74-2 dibutyl phthalate

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

84-74-2 dibutyl phthalate

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

84-74-2 dibutyl phthalate

· **Chemicals known to cause reproductive toxicity for males:**

84-74-2 dibutyl phthalate

· **Chemicals known to cause developmental toxicity:**

84-74-2 dibutyl phthalate

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

84-74-2 dibutyl phthalate

D

· **TLV (Threshold Limit Value)**

1332-58-7 Kaolin

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

Trade Name: **DOLPHON®**

(Contd. of page 10)

### · Hazard pictograms



GHS05

GHS07

GHS08

GHS09

### · Signal word *Danger*

### · Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq 700$ )

3,6,9-triazaundecamethylenediamine

dibutyl phthalate

3,6-diazaoctanethylenediamin

3,6,9,12-tetra-azatetradecamethylenediamine

### · Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases** Shelf life: 365 days at room temperature and not recommended at cold room temperature

· **Department issuing SDS:** Environment Health and Safety Department

· **Contact:** Hitesh Surti

· **Date of preparation / last revision** 01/16/2023

(Contd. on page 12)

US

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 10/31/2023

Version 1

Reviewed on 01/16/2023

**Trade Name: DOLPHON®**

(Contd. of page 11)

**· Abbreviations and acronyms:***IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Corrosion 1B: Skin corrosion/irritation – Category 1B**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Sensitization - Skin 1: Skin sensitisation – Category 1**Toxic to Reproduction 1B: Reproductive toxicity – Category 1B**Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2***· \* Data compared to the previous version altered.**

US