


7322 BECBM


SKF Explorer

Dimensions



d	4.331	in
D	9.449	in
B	1.969	in
d ₁	≈ 6.331	in
d ₂	≈ 5.314	in
D ₁	≈ 7.618	in
a	3.898	in
r _{1,2}	min. 0.118	in
r _{3,4}	min. 0.0433	in

Abutment dimensions



d _a	min. 4.882	in
D _a	max. 8.898	in
D _b	max. 9.173	in
r _a	max. 0.0984	in
r _b	max. 0.0394	in

Calculation data

Basic dynamic load rating	C	53954.146	lbf
Basic static load rating	C ₀	55078.191	lbf
Fatigue load limit	P _u	1753.51	lbf
Reference speed		3600	r/min
Limiting speed		3600	r/min
Calculation factor	k _r	0.1	
Calculation factor	k _a	1.6	
Calculation factor	e	1.14	

Single bearing or bearing pair arranged in tandem

Calculation factor	X	0.35	
Calculation factor	Y ₀	0.26	

Calculation factor	Y_2	0.57
Bearing pair arranged back-to-back or face-to-face		
Calculation factor	X	0.57
Calculation factor	Y_0	0.52
Calculation factor	Y_1	0.55
Calculation factor	Y_2	0.93

Mass

Mass bearing		22.046	lb
--------------	--	--------	----
